

CERTIFICATION LETTER

We certify that Vulkem[®] 45 SSL has been tested against ASTM C 920, Standard Specification for Elastomeric Joint Sealants and does conform to the specification requirements and is classified as follows:

Type: S (Single Component)
Grade: P (Pourable)
Class: 100/50 (+100/ - 50% joint movement)
Use: T (Traffic)
M (Mortar)
A (Aluminum)
O (Other)
I (Immersion Service – Class 2).

We further certify that Vulkem 45 SSL conforms to the requirements of Federal Specification TT-S-00230C, Type I, Class A.

Vulkem 45 SSL meets CAN/CGSB 2-19.13, MC-1-25 B-N.

Vulkem 45 SSL may be used in official establishments operating under the **United States Department of Agriculture** Federal Meat and Poultry products inspection program. Tremco certifies Vulkem 45 SSL meets the compositional requirements for use in USDA regulated facilities for situations involving incidental food contact provided the sealant be used in a manner that prevents indirect contamination of edible products. The sealant must be allowed to cure according to manufacturer's recommendations prior to any indirect food contact. The sealant does not contain antimony, arsenic, cadmium, selenium, carcinogens, mutagens or teratogens.

Vulkem 45 SSL may be used in registered establishments operating under the **Canadian Food Inspection Agency**. The Canadian Food Inspection Agency has approved Vulkem 45 SSL for use in CFIA regulated facilities for situations involving non food contact.

In addition, Vulkem 45 SSL is listed with **Underwriters Laboratories** in the following systems:

FF-D-1062 FW-D-1058
HW-D-1053 WW-D-1053

