

SAFETY DATA SHEET

1. Identification

Material name: Vulkem® OC 810 Material: 810802 805

Recommended use and restriction on use

Recommended use: Coatings Restrictions on use: Not known.

Manufacturer/Importer/Supplier/Distributor Information

Tremco Canadian Sealants 220 Wicksteed Ave Toronto ON M4H 1G7 CA

Contact person:
Telephone:
Emergency telephone number:

EH&S Department 1-800-263-6046 1-800-424-9300 (US); 1-613-996-6666 (Canada)

2. Hazard(s) identification

Hazard Classification

Health Hazards	
Acute toxicity (Inhalation - dust and mist)	Category 4
Respiratory sensitizer	Category 1
Skin sensitizer	Category 1
Carcinogenicity	Category 1A
Unknown toxicity - Health	
Acute toxicity, oral	3.52 %
Acute toxicity, dermal	27.38 %
Acute toxicity, inhalation, vapor	99.73 %
Acute toxicity, inhalation, dust or mist	82.41 %
Environmental Hazards	
Acute hazards to the aquatic environment	Category 1
Unknown toxicity - Environment	
Acute hazards to the aquatic environment	86.17 %
Chronic hazards to the aquatic environment	100 %

Label Elements

Hazard Symbol:





Signal Word:	Danger
Hazard Statement:	Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. May cause cancer. Very toxic to aquatic life.
Precautionary Statement:	
Prevention:	Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. [In case of inadequate ventilation] wear respiratory protection. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Avoid release to the environment.
Response:	IF INHALED: Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER/doctor. IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Call a POISON CENTER/doctor if you feel unwell. Specific treatment (see this label). Wash contaminated clothing before reuse. Collect spillage.
Storage:	Store locked up.
Disposal:	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
Other hazards which do not result in GHS classification:	None.

3. Composition/information on ingredients

Mixtures

Chemical Identity	CAS number	Content in percent (%)*
Aluminum hydroxide	21645-51-2	7 - 13%
Calcium carbonate	471-34-1	7 - 13%
Polyvinyl chloride	9002-86-2	1 - 5%
Isophorone Diisocyanate	4098-71-9	1 - 5%
Zinc oxide	1314-13-2	1 - 5%
Calcium oxide	1305-78-8	1 - 5%
Carbon Black	1333-86-4	1 - 5%
Dibutyl tin dilaurate	77-58-7	0.1 - 1%
Stearic acid	57-11-4	0.1 - 1%



Hydrotreated heavy naphthenic distillate	64742-52-5 0.1 - 1%				
* All concentrations are percer	t by weight unless ingredient is a gas. Gas concentrations are in percent by volume.				
I. First-aid measures					
Ingestion:	Call a POISON CENTER/doctor//if you feel unwell. Rinse mouth.				
Inhalation:	Call a physician or poison control center immediately. If breathing stops, provide artificial respiration. Move to fresh air. If breathing is difficult, give oxygen.				
Skin Contact:	If skin irritation occurs: Get medical advice/attention. Destroy or thorough clean contaminated shoes. Immediately remove contaminated clothing ar shoes and wash skin with soap and plenty of water. If skin irritation or an allergic skin reaction develops, get medical attention.				
Eye contact:	Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lenses. If eye irritation persists: Get medical advice/attention.				
Most important symptoms/ef	ects, acute and delayed				
Symptoms:	May cause skin and eye irritation.				
dication of immediate medic	al attention and special treatment needed				
Treatment:	Symptoms may be delayed.				
. Fire-fighting measures					
General Fire Hazards:	No unusual fire or explosion hazards noted.				
Suitable (and unsuitable) extinguishing media				
Suitable extinguishing media:	Use fire-extinguishing media appropriate for surrounding materials.				
Unsuitable extinguishing media:	Do not use water jet as an extinguisher, as this will spread the fire.				
Specific hazards arising from the chemical:	During fire, gases hazardous to health may be formed.				
Special protective equipment	and precautions for firefighters				
Special fire fighting procedures:	No data available.				
Special protective equipme for fire-fighters:	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.				

6. Accidental release measures



Personal precautions, protective equipment and emergency procedures:	Ventilate closed spaces before entering them. Evacuate area. See Section 8 of the SDS for Personal Protective Equipment. Keep upwind. Keep unauthorized personnel away. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.
Methods and material for containment and cleaning up:	Dam and absorb spillages with sand, earth or other non-combustible material. Collect spillage in containers, seal securely and deliver for disposal according to local regulations.
Notification Procedures:	In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.
Environmental Precautions:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so.
7. Handling and storage	

Precautions for safe handling:Do not handle until all safety precautions have been read and understood.
Obtain special instructions before use. Use personal protective equipment
as required. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact
with eyes, skin, and clothing. Wash hands thoroughly after handling.
Provide adequate ventilation. Wear appropriate personal protective
equipment. Observe good industrial hygiene practices.Conditions for safe storage,
including anyStore locked up.

8. Exposure controls/personal protection

Control Parameters

incompatibilities:

Occupational Exposure Limits

Chemical Identity	type	Exposure Lim	it Values	Source
Aluminum hydroxide - Respirable fraction.	TWA		1 mg/m3	US. ACGIH Threshold Limit Values (2011)
Calcium carbonate - Total dust.	PEL		15 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Calcium carbonate - Respirable fraction.	PEL		5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
Polyvinyl chloride - Respirable fraction.	TWA		1 mg/m3	US. ACGIH Threshold Limit Values (2011)
Polyvinyl chloride - as vinyl chloride monomer	TWA	1 ppm		US. OSHA Specifically Regulated Substances (29 CFR 1910.1001- 1050) (02 2006)
	STEL	5 ppm		US. OSHA Specifically Regulated Substances (29 CFR 1910.1001- 1050) (02 2006)
	OSHA_A CT	0.5 ppm		US. OSHA Specifically Regulated Substances (29 CFR 1910.1001- 1050) (02 2006)
Polyvinyl chloride - Respirable fraction.	PEL		5 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)



			(02 2006)
Polyvinyl chloride - Total dust.	PEL	15 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)
			(02 2006)
	TWA	50 millions	US. OSHA Table Z-3 (29 CFR
	10070	of particles	1910.1000) (2000)
		per cubic	
		foot of air	
Polyvinyl chloride -	TWA	15 millions	US. OSHA Table Z-3 (29 CFR
Respirable fraction.		of particles	1910.1000) (2000)
		per cubic	
	T 14/A	foot of air	
Polyvinyl chloride - Total dust.	TWA	15 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)
Polyvinyl chloride -	TWA	5 mg/m3	US. OSHA Table Z-3 (29 CFR
Respirable fraction.		5 mg/m5	1910.1000) (2000)
Isophorone	TWA	0.005 ppm	US. ACGIH Threshold Limit Values
Diisocyanate			(2011)
Zinc oxide - Respirable	TWA	2 mg/m3	US. ACGIH Threshold Limit Values
fraction.			(2011)
	STEL	10 mg/m3	US. ACGIH Threshold Limit Values
			(2011)
Zinc oxide - Fume.	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air
			Contaminants (29 CFR 1910.1000)
	551		(02 2006)
Zinc oxide - Total dust.	PEL	15 mg/m3	US. OSHA Table Z-1 Limits for Air
			Contaminants (29 CFR 1910.1000)
Zinc oxide - Respirable	PEL	5 mg/m3	(02 2006) US. OSHA Table Z-1 Limits for Air
fraction.	FEL	5 119/113	Contaminants (29 CFR 1910.1000)
inaction.			(02 2006)
Calcium oxide	TWA	2 mg/m3	US. ACGIH Threshold Limit Values
			(2011)
	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air
			Contaminants (29 CFR 1910.1000)
			(02 2006)
Carbon Black -	TWA	3 mg/m3	US. ACGIH Threshold Limit Values
Inhalable fraction.			(2011)
Carbon Black	PEL	3.5 mg/m3	US. OSHA Table Z-1 Limits for Air
			Contaminants (29 CFR 1910.1000)
Dihastal the althoughter and	OTEL	0.0 m m/m 0	(02 2006) US. ACGIH Threshold Limit Values
Dibutyl tin dilaurate - as Sn	STEL	0.2 mg/m3	(2011)
011		0.1 mg/m3	US. ACGIH Threshold Limit Values
	TWA	0.1 mg/m3	(2011)
	PEL	0.1 mg/m3	US. OSHA Table Z-1 Limits for Air
		5	Contaminants (29 CFR 1910.1000)
			(02 2006)
Stearic acid	TWA	10 mg/m3	US. ACGIH Threshold Limit Values
			(2011)
Hydrotreated heavy	TWA	5 mg/m3	US. ACGIH Threshold Limit Values
naphthenic distillate -			(03 2014)
Inhalable fraction.		500 ppr: 0.000	
Hydrotreated heavy	PEL	500 ppm 2,000	US. OSHA Table Z-1 Limits for Air
naphthenic distillate		mg/m3	Contaminants (29 CFR 1910.1000)
			(02 2006)



Hydrotreated heavy	PEL	5 mg/m3	US. OSHA Table Z-1 Limits for Air
naphthenic distillate -			Contaminants (29 CFR 1910.1000)
Mist.			(02 2006)

Chemical name	type	Exposure Lim	nit Values	Source
Aluminum hydroxide - Respirable.	TWA		1 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Aluminum hydroxide - Respirable fraction.	TWAEV		1 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
Calcium carbonate - Total dust.	STEL		20 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Calcium carbonate - Respirable fraction.	TWA		3 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Calcium carbonate - Total dust.	TWA		10 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Calcium carbonate - Total dust.	TWA		10 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)
Diisodecyl phthalate	TWAEV		5 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
Polyvinyl chloride - Respirable.	TWA		1 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Polyvinyl chloride - Respirable fraction.	TWAEV		1 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
Polyvinyl chloride - Total dust.	TWA		10 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)
Isophorone Diisocyanate	TWA	0.005 ppm		Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
	CEILING	0.01 ppm		Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational



				Health and Safety Regulation 296/97 as amended) (07 2007)
Isophorone Diisocyanate	TWAEV	0.005 ppm		Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
	CEV	0.02 ppm		Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
Isophorone Diisocyanate	TWA	0.005 ppm	0.045 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)
Zinc oxide - Respirable.	TWA		2 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97 as amended) (07 2007)
	STEL		10 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97 as amended) (07 2007)
Zinc oxide - Respirable fraction.	TWAEV		2 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
	STEL		10 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)



Zinc oxide - Fume.	TWA	5 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)
Zinc oxide - Total dust.	TWA	10 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)
Zinc oxide - Fume.	STEL	10 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)
Calcium oxide	TWA	2 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97 as amended) (07 2007)
Calcium oxide	TWAEV	2 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
Calcium oxide	TWA	2 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)
Carbon Black - Inhalable	TWA	3 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97 as amended) (09 2011)
Carbon Black	TWAEV	3.5 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
Carbon Black	TWA	3.5 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)
Hydrotreated heavy naphthenic distillate - Mist.	TWA	0.2 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97 as amended) (05 2013)
	TWA	1 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97 as amended) (05 2013)
Hydrotreated heavy naphthenic distillate - Mist.	TWAEV	5 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
	STEL	10 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)



	Hydrotreated heavy naphthenic distillate - Mist.	TWA	5 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)	
		STEL	10 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)	
Appropriate Engineering Controls		limits a	Observe good industrial hygiene practices. Observe occupational exposure limits and minimize the risk of inhalation of vapors and mist. Mechanical ventilation or local exhaust ventilation may be required.		
Indiv	vidual protection measur	es, such as	personal protective equipr	nent	
General information: Use personal protective equipment as required.		as required.			
Eye/face protection:		Wear g	Wear goggles/face shield.		
	Skin Protection Hand Protection:	Use su	uitable protective gloves if ris	k of skin contact.	
	Other:	Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Contact health and safety professiona or manufacturer for specific information.			
Respiratory Protection:		recomr (in cour approv approp cartridg	If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Air-purifying respirator with an appropriate, government approved (where applicable), air-purifying filter, cartridge or canister. Contact health and safety professional or manufacturer for specific information.		
	Hygiene measures:	immed		actices. Wash hands before breaks and uct. Contaminated work clothing should . Avoid contact with skin.	

9. Physical and chemical properties

Appearance		
Physical state:	liquid	
Form:	liquid	
Color:	Black	
Odor:	Mild petroleum/solvent	
Odor threshold:	No data available.	
pH:	No data available.	
Melting point/freezing point:	No data available.	
Initial boiling point and boiling range:	No data available.	
Flash Point:	> 100 °C > 212 °F(Setaflash Closed Cup)	
Evaporation rate:	Slower than Ether	
Flammability (solid, gas):	No	
Upper/lower limit on flammability or explosive limits		



Flammability limit - upper (%):	No data available.
Flammability limit - lower (%):	No data available.
Explosive limit - upper (%):	No data available.
Explosive limit - lower (%):	No data available.
Vapor pressure:	No data available.
Vapor density:	Vapors are heavier than air and may travel along the floor and in the bottom of containers.
Relative density:	1.29
Solubility(ies)	
Solubility in water:	Practically Insoluble
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	No data available.
Auto-ignition temperature:	No data available.
Decomposition temperature:	No data available.
Viscosity:	No data available.

10. Stability and reactivity

Reactivity:	No data available.	
Chemical Stability:	Material is stable under normal conditions.	
Possibility of Hazardous Reactions:	No data available.	
Conditions to Avoid:	Avoid heat or contamination.	
Incompatible Materials:	Alcohols. Amines. Strong acids. Strong bases. Water, moisture.	
Hazardous Decomposition Products:	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.	

11. Toxicological information

Information on likely routes of exposure

Ingestion:	May be ingested by accident. Ingestion may cause irritation and malaise.
Inhalation:	In high concentrations, vapors, fumes or mists may irritate nose, throat and mucus membranes.
Skin Contact:	Causes mild skin irritation. May cause an allergic skin reaction.
Eye contact:	Eye contact is possible and should be avoided.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral Product:

ATEmix: 39,973.35 mg/kg

Dermal



Product:	ATEmix: 12,114.95 mg/kg	
Inhalation Product:	ATEmix: 2.62 mg/l	
Repeated dose toxicity Product:	No data available.	
Skin Corrosion/Irritation Product:	No data available.	
Serious Eye Damage/Eye Irritation Product: No data available.		
Specified substance(s): Aluminum hydroxide	in vivo (Rabbit, 24 hrs): Not irritating	
Calcium carbonate	in vivo (Rabbit, 24 - 72 hrs): Not irritating	
Isophorone Diisocyanate	in vivo (Rabbit, 24 - 72 hrs): Category 1	
Zinc oxide	in vivo (Rabbit, 24 - 72 hrs): Not irritating	
Calcium oxide	in vivo (Rabbit, 24 hrs): Category 1	
Carbon Black	in vivo (Rabbit, 24 - 72 hrs): Not irritating	
Dibutyl tin dilaurate	in vivo (Rabbit, 24 hrs): Highly irritating	
Stearic acid	in vivo (Rabbit, 27 - 72 hrs): Not irritating	
Hydrotreated heavy naphthenic distillate	in vivo (Rabbit, 24 hrs): Not irritating	
Respiratory or Skin Sensitizatio Product:	 n May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause sensitization by inhalation. 	

Carcinogenicity Product:

No data available.



IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

Carbon Black	Overall evaluation: Possibly carcinogenic to humans.	
Hydrotreated hea naphthenic distill		
US. National Toxicology Pro Hydrotreated hea naphthenic distilla		
US. OSHA Specifically Regu	lated Substances (29 CFR 1910.1001-1050):	
Polyvinyl chloride	Cancer	
Germ Cell Mutagenicity		
In vitro Product:	No data available.	
In vivo Product:	No data available.	
Reproductive toxicity Product:	No data available.	
Specific Target Organ Toxicity - Single Exposure Product: No data available.		
Specific Target Organ Toxici Product:	ty - Repeated Exposure No data available.	
Aspiration Hazard Product:	No data available.	
Other effects:	No data available.	
Product: Specific Target Organ Toxici Product: Specific Target Organ Toxici Product: Aspiration Hazard Product:	ty - Single Exposure No data available. ty - Repeated Exposure No data available. No data available.	

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish **Product:**

No data available.

Specified substance(s):	
Calcium carbonate	LC 50 (Western mosquitofish (Gambusia affinis), 96 h): > 56,000 mg/l



	Mortality		
Zinc oxide	LC 50 (Fathead minnow (Pimephales promelas), 96 h): 2,246 mg/l M	ortality	
Dibutyl tin dilaurate	LC 50 (Ide, silver or golden orfe (Leuciscus idus), 48 h): 2 mg/l Morta	lity	
Aquatic Invertebrates Product:	No data available.		
Specified substance(s): Zinc oxide	LC 50 (Water flea (Daphnia magna), 48 h): 24.6 mg/l Mortality		
Dibutyl tin dilaurate	EC 50 (Water flea (Daphnia magna), 24 h): 0.66 mg/l Intoxication		
Chronic hazards to the aquation	environment:		
Fish Product:	No data available.		
Specified substance(s): Aluminum hydroxide	LOAEL (Pimephales promelas, 28 d): 53.8 mg/l experimental result		
Zinc oxide	NOAEL (Oncorhynchus mykiss, 30 d): 974 μ g/l interpreted		
Calcium oxide	NOAEL (Oncorhynchus mykiss, 60 d): 307 mg/l interpreted		
Carbon Black	NOAEL (Salmo sp., 30 d): 17 mg/I QSAR		
Hydrotreated heavy naphthenic distillate	NOAEL (Oncorhynchus mykiss, 14 d): >= 1,000 mg/l QSAR		
Aquatic Invertebrates Product:	No data available.		
Toxicity to Aquatic Plants Product:	No data available.		
Persistence and Degradability			
Biodegradation Product:	No data available.		
BOD/COD Ratio Product:	No data available.		
Bioaccumulative Potential Bioconcentration Factor (BCF) Product: No data available.			
Partition Coefficient n-octan Product:	ol / water (log Kow) No data available.		
Specified substance(s):		13/17	



Dibutyl tin dilaurate	Log Kow: 3.12	
Stearic acid	Log Kow: 8.23	
Mobility in Soil:	No data available.	
Other Adverse Effects:	Very toxic to aquatic organisms.	
13. Disposal considerations		
Disposal instructions:	Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.	
Contaminated Packaging:	No data available.	
14. Transport information		
TDG:		
Not Regulated		
CFR / DOT:		
Not Regulated		
IMDG:		

Not Regulated

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) None present or none present in regulated quantities.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Chemical Identity		
Polyvinyl chloride		

OSHA hazard(s)

Blood Liver Cancer Flammability Central nervous system



CERCLA Hazardous Substance List (40 CFR 302.4):

Chemical Identity	Reportable quantity
bis (2-chloro-	1000 lbs.
1methylethyl) ether	
Propylene oxide	100 lbs.
Propionic acid	5000 lbs.
Ethylbenzene	1000 lbs.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate (Acute) Health Hazards Delayed (Chronic) Health Hazard

SARA 302 Extremely Hazardous Substance

	Reportable		
Chemical Identity	<u>quantity</u>	Threshold Planning Quantity	
Isophorone Diisocyanate	500 lbs.	500 lbs.	
Propylene oxide	100 lbs.	10000 lbs.	

SARA 304 Emergency Release Notification Chemical Identity Reportable quantity

		Reportable
Diisodecyl phthalate		
Isophorone Diisocyanate		
Zinc oxide		
bis	(2-chloro-	1000 lbs.
1methylethyl)	ether	
Propylene oxid	de	100 lbs.
Propionic acid		5000 lbs.
Ethylbenzene		1000 lbs.

SARA 311/312 Hazardous Chemical

Chemical Identity	Threshold Planning Quantity
Isophorone Diisocyanate	500lbs
Propylene oxide	500lbs
Aluminum hydroxide	500 lbs
Calcium carbonate	500 lbs
Polyvinyl chloride	500 lbs
Zinc oxide	500 lbs
Calcium oxide	500 lbs
Carbon Black	500 lbs
Dibutyl tin dilaurate	500 lbs
Stearic acid	500 lbs
Hydrotreated heavy	500 lbs
naphthenic distillate	

SARA 313 (TRI Reporting)

Chemical Identity

Isophorone Diisocyanate Zinc oxide

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130): <u>Chemical Identity</u> Reportable quantity



Propylene oxide 10000 lbs

US State Regulations

US. California Proposition 65

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity

Calcium carbonate Polyvinyl chloride Isophorone Diisocyanate Zinc oxide Calcium oxide Carbon Black

US. Massachusetts RTK - Substance List

Chemical Identity

Calcium carbonate Isophorone Diisocyanate Zinc oxide Calcium oxide Carbon Black Propylene oxide Crystalline Silica (Quartz)/ Silica Sand

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity

Calcium carbonate Diisodecyl phthalate Isophorone Diisocyanate Zinc oxide Calcium oxide Carbon Black

US. Rhode Island RTK

Chemical Identity

Diisodecyl phthalate Isophorone Diisocyanate Zinc oxide

Other Regulations:

Regulatory VOC (less water	29 g/l
and exempt solvent):	
VOC Method 310:	2.02 %

Inventory Status:

Australia AICS:

One or more components in this product are not listed on or exempt from the Inventory.

Canada DSL Inventory List:

One or more components in this product are not listed on or exempt from the Inventory.



EINECS, ELINCS or NLP:	One or more components in this product are not listed on or exempt from the Inventory.
Japan (ENCS) List:	One or more components in this product are not listed on or exempt from the Inventory.
China Inv. Existing Chemical Substances:	One or more components in this product are not listed on or exempt from the Inventory.
Korea Existing Chemicals Inv. (KECI):	One or more components in this product are not listed on or exempt from the Inventory.
Canada NDSL Inventory:	One or more components in this product are not listed on or exempt from the Inventory.
Philippines PICCS:	One or more components in this product are not listed on or exempt from the Inventory.
US TSCA Inventory:	One or more components in this product are not listed on or exempt from the Inventory.
New Zealand Inventory of Chemicals:	One or more components in this product are not listed on or exempt from the Inventory.
Japan ISHL Listing:	One or more components in this product are not listed on or exempt from the Inventory.
Japan Pharmacopoeia Listing:	One or more components in this product are not listed on or exempt from the Inventory.

16.Other information, including date of preparation or last revision

Revision Date:	08/12/2015
Version #:	1.0
Further Information:	No data available.
Disclaimer:	For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.