

January 22, 2019

To Whom It May Concern:

RE: Dymonic 100—Green Building Product Information (LEED v4 Information)

Tremco Incorporated is an organization that is committed to quality, our employees, and our environment. We are responsive to both internal and external customers, and we pledge to treat everyone with good stewardship and respect.

Tremco Incorporated certifies the following for Dymonic 100:

Building Product Disclosure and Optimization:

Dymonic 100 is manufactured in Cleveland, Ohio.

No single extracted material is used to produce the majority of this product.

Recycled content for Dymonic 100 is not available, and for the purposes of LEED reporting should be assumed to be zero.

Low Emitting Materials - VOC Content Information:

Dymonic 100 is a urethane sealant with a VOC content of 40g/L equaling 3% as applied/mixed. As such, VOC levels are lower than the limits set by SCAQMD rule 1168.

Note: VOC content values are as reported for the highest VOC content color for all Dymonic 100 colors. Other colors may have a lower VOC content reported on their MSDS .

This product is Greenguard certified, meaning it has met some of the world's most difficult and complete standards for low emissions of VOC's into indoor air. This product also adheres to the California Department of Public Health (CDPH) Standard Method V1.1-2010, a standard vital to demonstrate compliance with LEED.

Green Chemistry:

Tremco Incorporated is dedicated to the environment and prides itself on making its products as sustainable as possible.



Manufacture Inventory (reported to 1000ppm):

Chemical Name or Role	CAS Number	Amount	GHS Hazard
Polyurethane Prepolymer		20-60%	Non-Hazardous
Calcium carbonate	471-34-1		
Plasticizer		0-40%	Non-Hazardous
Polyvinyl chloride	9002-86-2		
Calcium Carbonate (Limestone)	1317-65-3		
Xylene	1330-20-7		
Calcium oxide	1305-78-8		
Reactive Agent		<5%	Non-Hazardous
Colorant Dispersion		<5%	Non-Hazardous
Filler		<1%	Non-Hazardous
Ethylbenzene	100-41-4		
Isophorone Diisocyanate	4098-71-9		
Environmental Stabilizer		<1%	Non-Hazardous
Carbon Black	1333-86-4		
Hydrotreated heavy naphthenic distillate	64742-52-5		
Adhesion Promoter		<1%	Non-Hazardous
Stearic acid	57-11-4		
Dibutyl tin dilaurate	77-58-7		
Titanium dioxide	13463-67-7		
Pigment		<1%	Non-Hazardous
Iron oxide	1309-37-1		

Additional Information:

Should you have any questions or require additional information, please do not hesitate to contact Technical Services or your local Tremco Field Representative.

Sincerely,



Amy Woodard
Manager
Compliance and Regulatory