



www.tremcocpg.com




 Detail: TREMDrain DPI with TREMproof 260 at Inside Corner
 File Name:


 Drawn by: HDE
 Checked by: WH
 Scale: NTS
 Date: 5/27/2022
 DPI-C-02
 DTREMCO

 WWW.tremcocpg.com




The architecture, engineering, and design of the project using the Tremco products are the responsibility of the project's design professional. All products and systems must comply with local building codes and standards. This detail is for general information and guidance only and Tremco specifically disclaims any liability for the use of this detail. The project design professional determines, in its sole discretion, whether this detail or a functionally equivalent detail is best suited for the project. This detail is usible to change without notice. Contact Tremco to ensure you have the most recent version.






The architecture, engineering, and design of the project using the Tremco products are the responsibility of the project's design professional. All products and systems must comply with local building codes and standards. This detail is for general information and guidance only and Tremco specifically disclaims any liability for the use of this detail. The project design professional determines, in its sole discretion, whether this detail or a functionally equivalent detail is best suited for the project. This detail is subject to change without notice. Contact Tremco to ensure you have the most recent version.

TREMDrain DPI								
	Detail: TREMDrain DPI with TREMproof 260 Wall Termination				File Name:			
TREMCO	^{Drawn by:} HDE	Checked by: WH	^{Scale:} NTS	Date: 5/27/2022	DPI-G-02	TREMCO		
Tremco Technical Support: 866-209-2404		Construction Products Group						



www.tremcocpg.com



www	tremcocpg.	com